

From:
Sent:

Ex. 4 - CBI

2/13/2012 12:37:25 PM

To:
CC:

Colleen Walling

Subject:

Fw: 180-3644-1 - Validated Electronic Data for Dimock Residential Groundwater

Ex. 4 - CBI

ESAT Region 3 Program Manager
Lockheed Martin IS&GS - Civil
Energy & Environment
US EPA Environmental Science Center
701 Mapes Road
Ft. Meade, MD 20755-5350

Ex. 4 - CBI

-----Forwarded by [redacted] **Ex. 4 - CBI** on 02/13/2012 12:37PM -----

To: Richard Fetzer/R3/USEPA/US@EPA

From: [redacted] **Ex. 4 - CBI**

Date: 02/08/2012 05:21PM

Cc: [redacted] **Ex. 4 - CBI** gnance@techlawinc.com

Subject: 180-3644-1 - Validated Electronic Data for Dimock Residential Groundwater

Richard Fetzer

US EPA Region 3

1650 Arch Street

Philadelphia, PA 19103-2029

Dear Richard,

Attached to this message you will find electronic files containing the validation report and validated inorganic data for the Dimock Residential Groundwater site, Case # 180-3644-1. The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT).

Please contact ESAT's RPO, Colleen Walling by phone at 410-305-2763 or e-mail at Walling.Colleen@epa.gov if additional assistance is needed.

TO # 0037 TDF # 02025A

(See attached file: 180-3644-1 02025A.PDF)

(See attached file: Project 180-3644-1_Validated_Metals_DSF.xls)

Sincerely,

Ex. 4 - CBI

Lockheed Martin IS&GS - Civil
Energy & Environment
ESAT Region 3
701 Mapes Road
Ft. Meade, MD 20755-5350

Ex. 4 - CBI

Ex. 4 - CBI

[attachment "180-3644-1 02025A.PDF" removed by [redacted]

[attachment "Project 180-3644-1_Validated_Metals_DSF.xls" removed by [redacted]

Ex. 4 - CBI